

## Publications

- [1] Fujihara, T., Chen, X.B., Ørskov, E.R. and Hovell, F.D. DeB. (1987) The possible use of purine derivatives in the urine to estimate microbial protein production. *Wissenschaftliche Zeitschrift der Wilhelm Pieck Universität Rostock* 37, 17-18.
- [2] Chen, X.B. (1989) Excretion of purine derivatives by sheep and cattle and its use for the estimation of absorbed microbial protein. Ph.D. Thesis, University of Aberdeen.
- [3] Chen, X.B., Kyle, D.J., Whyte, C.C., Hovell, F.D. DeB. and Ørskov, E.R. (1989) Uric acid and allantoin in plasma and saliva of sheep. *Proceedings of the Nutrition Society* 48, 88A.
- [4] Chen, X.B., Ørskov, E.R. and Hovell, F.D.D. (1990) Excretion of purine derivatives by ruminants: endogenous excretion, differences between cattle and sheep. *British Journal of Nutrition* 63, 121-129.
- [5] Chen, X.B., Hovell, F.D.D., Ørskov, E.R. and Brown, D.S. (1990) Excretion of purine derivatives by ruminants : effect of exogenous nucleic acid supply on purine derivative excretion by sheep. *British Journal of Nutrition* 63, 131-142.
- [6] Chen, X.B., Hovell, F.D.D. and Ørskov, E.R. (1990) Excretion of purine derivatives by ruminants : recycling of allantoin into the rumen via saliva and its fate in the gut. *British Journal of Nutrition* 63, 197-205.
- [7] Verbic, J., Chen, X.B., MacLeod, N.A. and Ørskov, E.R. (1990) Excretion of purine derivatives by ruminants: effect of microbial nucleic acid infusion on purine derivative excretion by steers. *Journal of Agricultural Science, Cambridge*. 114, 243-248.
- [8] Chen, X.B. Mathieson, J., Hovell, F.D. DeB. and Reeds, P.J. (1990) Measurement of purine derivatives in urine of ruminants using automated methods. *Journal of the Science of food and Agriculture* 53, 23-33.
- [9] Chen, X.B., Kyle, D.J., Ørskov, E.R. and Hovell, F.D. DeB. (1991) Renal clearance of plasma allantoin in sheep. *Experimental Physiology*. 76, 59-65.
- [10] Ørskov, E.R. and Chen, X.B. (1989) Progress in amino acid nutrition. In: Proceedings of 1989 Georgia Nutrition Conference for the Feed Industry. pp. 1-7.
- [11] Ørskov, E.R. and Chen, X.B. (1990) Assessment of amino acid requirement in ruminants. In: *The Rumen Ecosystem: the microbial metabolism and its regulation*. Proceedings of a Satellite symposium of the 7th International Symposium of Ruminant Physiology, Kakone, Japan, 1989. (Eds S. Hoshino, R. Onodera, H. Minato and H. Itabashi). pp 161-168. Japan Scientific Society Press and Springer-Verlag: Tokyo.
- [12] Whitelaw, F.G., Milne, J.S. and Chen, X.B. (1991) The effect of a rumen microbial fermentation on urea and nitrogen metabolism of sheep nourished by intragastric infusion. *Experimental Physiology* 76, 91-101.
- [13] Chen, X.B., Ørskov, E.R. and Hovell, F.D. DeB. (1991) The use of intragastric infusion in studies on excretion of purine derivatives as a measure of microbial protein supply in ruminants. Proceedings of the 6th International Symposium on protein metabolism and nutrition. Vol 2. pp.67-70.
- [14] Chen, X.B., Chen, Y.K., Franklin, M.F. Ørskov, E.R. and Shand, W.J. (1992). The effect of feed intake and body weight on purine derivative excretion and microbial protein supply in sheep. *Journal of Animal Science*. 70, 1534-1542.

- [15] Chen, X.B. Grubic, G., Ørskov, E.R. and Osuji, P. (1992). Effect of feeding frequency on diurnal variation in plasma and urinary purine derivatives in steers. *Animal Production* 55, 185-191
- [16] Chen, X.B. Gu, C.X., Zhang, W.X. and Ørskov, E.R. (1992). Rumen microbial protein supply to sheep given diets containing either urea or casein as the main N source. *Animal Production* 54, 505-506 A
- [17] Abdulrazak, S.A., Chen, X.B., and Ørskov, E.R. (1992). The effect of supplementing ammonia-treated straw with sugar beet pulp or barley on rumen kinetics and microbial protein production in sheep. *Animal Production* 54, 506A.
- [18] El Hassan, S.M., Wallace, R.J., Newbold, C.J. Chen, X.B., Edwards, I.E. and Topps, J.H. (1992). Effects of yeast culture on rumen fermentation and liveweight gain in bulls fed isonitrogenous diets of barley/urea or barley/soya. *Animal Production* 54, 504A
- [19] Chen, X. B., Abdulrazak, S.A., Shand, W.J. and Ørskov, E.R. (1992). The effect of supplementing straw with barley or unmolassed sugar beet pulp on microbial protein supply in sheep estimated from urinary purine derivative excretion. *Animal Production* 55, 413-417.
- [20] Chen, X.B., Chowdhury, S.A., Hovell, F.D.DeB., Ørskov, E.R. and Kyle, J.K. (1992). Endogenous allantoin excretion in response to changes in protein supply in sheep. *Journal of Nutrition* 122, 2226-2232
- [21] Nakamura, K., Fujihara, T. Chen, X.B. and Ørskov, E.R. (1992). Changes in urinary and plasma concentrations of purine derivatives in sheep given abomasal infusion of purine nucleosides. Abstract of the 85th Annual Meeting of the Japanese Society of Zootechnical Science (Hiroshima University, March 1992). p 168.
- [22] Chen, X.B., Ørskov, E.R. and Hovell, F.D.DeB. (1992). Urinary excretion of purine derivatives as an index to estimate microbial protein supply in ruminants. In: Zhang, Z. (ed). *The Advance of Research of China Animal Nutrition: Proceedings of the 6th National Symposium of Chinese Society of Animal Science*. Tianjin Scientific Translation Publishing Co., Tianjin. pp 597-603
- [23] Cardenas, D., Newbold, C.J., Galbraith, H., Topps, J.H., Chen, X.B. and Rooke, J.A. (1993). Rice polishing as an alternative to sugar cane molasses as a supplement with urea to low quality forage diets for ruminants. *Animal Production*. 56, 85-92
- [24] Chen, X.B., Mejia, A.T., Kyle, D.J. and Ørskov, E.R. (1993) Purine derivatives in spot urine samples and plasma of sheep: a possible index of microbial protein supply. *Animal Production*. 56, 420A
- [25] Gomes, M.J., Chen, X.B. Hovell, F.D.DeB., Fickremariam, D. and Nengomasha, E.M. (1993). Supplementation of barley straw with starch in sheep: Effect on microbial protein supply estimated from urinary purine derivative excretion. *Animal Production*. 56, 464A
- [26] Chen, X.B., Kyle, D. and Ørskov E.R. (1993). Measurement of allantoin in urine and plasma by high-performance liquid chromatography with pre-column derivatization. *Journal of Chromatography* 617, 241-247.
- [27] Liu, S.M., Luo, Q.J., Chen, X.B., MacLeod, N.A. and Ørskov, E.R. (1993). Relationship between serum IGF-1 concentrations with the levels of energy and protein supply in steers. Proceedings of VII World Conference on Animal Production (Vol 3) University of Alberta, Edmonton, Alberta, Canada. pp 306-307.

- [28] Fujihara, T., Nakamura, K., Chen, X.B. and Ørskov, E.R. (1993). Effect of fluctuating supply of purine nucleosides on the plasma and urinary purine derivatives in sheep nourished by intragastric nutrition. Abstract for the 1993 Annual Meeting of the American Society of Animal Science.
- [29] Chen, X.B. and Ørskov, E.R. (1993). Amino acid nutrition in sheep. In: F. D'Mello (ed.) *Amino Acids in Farm Animal Nutrition*. CAB International. pp 307-324.
- [30] Scott, D., Robin, S.P., Nicol, P., Chen, X.B., and Buchan, W. (1994). The effects of low phosphate intake on calcium and phosphorus retention, plasma osteocalcin levels and microbial protein synthesis in the lamb. *Experimental Physiology* 79, 183-187.
- [31] Chen, X.B., Majia, A.T., Pagella, J.H. Kyle, D.J. and Ørskov, E.R. (1993). Urinary excretions of purine and benzoic acid derivatives as an indication of microbial protein supply and cellulosic feed intake in sheep. *Proceedings of the XXII Rumen Function Conference*. Vol 22, p 15.
- [32] Moloney, A.P., O'Kiely, P., and Chen, X.B. (1993). Growth and rumen fermentation in steers fed whole-crop fodder beet silage. *Proceedings of the XXII Rumen Function Conference*. 22, 35A.
- [33] Samaraweera, L., Ørskov, E.R. and Chen, X.B. (1994). Preliminary studies on purine derivative excretion in buffaloes. In: Buffalo Production and its Impact on Small Farm Development (eds. Wanapat, M and Sommart, K.). Proceedings of the First Asian Buffalo Association Congress. pp. 224-249. Khon Kaen Publishing Co. Ltd, Khon Kaen, Thailand.
- [34] Daniels, Z.M., Chen, X.B., Kyle, D.J., Sinclair, K. and Ørskov, E.R. (1994). Purine derivatives in urine and plasma of lactating cows given different levels of feed intake. *Animal production*. 58, 453A
- [35] Murray, I., Paterson, R.M., Chen, X.B. and Hovell, F.D.DeB. (1994). Determination of polyethylene glycol (PEG) in rumen solution by NIR transmission spectroscopy. Proceeding of the 6th International Conference on Near Infrared Spectroscopy, held in Lorne, Australia, April 1994. (abstract)
- [36] Newbold, C.J., El Hassan, S.M., Wallace, R.J., Chen, X.B., Goodchild, A.V. and Arthaud, L. (1994). Influence of African multipurpose trees on activity of rumen protozoa and bacteria *in vitro*. *Animal Production*. 58, 461A
- [37] Gomes, M.J., Hovell, F.D.DeB., Chen, X.B., Fickremariam, D. and Nengomasha, E.M. (1994). The effect of starch supplementation of straw on microbial protein supply in sheep. *Animal Feed Science and Technology*, 49, 277-286.
- [38] Liu, S.M., MacLeod, N.A., Chen, X.B. and Ørskov, E.R. (1994). The effects of protein and of volatile fatty acids on urinary peptide excretion in steers. *Proceeding of the 45th Annual Meeting of EAAP*. p. 119
- [39] Chen, X.B., Mejia, A.T., Kyle, D.J., and Ørskov, E.R. (1995). Evaluation of the use of purine derivative:creatinine ratio in spot urine and plasma samples as an index of microbial protein supply in ruminants: studies in sheep. *Journal of Agricultural Science, Cambridge*. 125, 137-143.
- [40] Chen, X.B., Kyle, D.J. and Ørskov, E.R. (1994). Limiting amino acids in microbial protein for productive purposes in lactating cows. *Proceeding of the 45th Annual Meeting of EAAP*. p.120A.

- [41] Chen, X.B., Pagella, J.H., Shand, W.J. and Ørskov, E.R. (1994). Urinary benzoic acid and its precursors arising from ruminal fermentation of feed. *Proceedings of Society of Nutrition Physiology*. 3, 244A
- [42] Liu, S.M., MacLeod, N.A., Chen, X.B. and Ørskov, E.R. (1994). The effects of protein depletion on plasma and blood volume in sheep. *Proceedings of Society of Nutrition and Physiology*. 3, 227A
- [43] Kiely, P.O., Moloney, A.P., and Chen, X.B. (1994). Growth and rumen fermentation in steers offered whole-crop fodder beet silage. *Irish Journal of Agricultural and Food Research* **33**, 93A.
- [44] Stangassinger, M., Chen, X.B., Lindberg, J.E., and Giesecke, D. (1995). Metabolism of purines in relation to microbial production. In: Ruminant Physiology: Digestion, Metabolism, Growth and Reproduction. Proceedings of the Eighth International Symposium on Ruminant Physiology. (Ed. W.v.Engelhardt, S.Leonhard-Marek, G.Breves, and D.Giesecke). Ferdinand Enke Verlag Stuttgart. pp. 387-406.
- [45] van Bruchem, J., Chuzaemi, S., Oosting, S.J., Perera, A.N.F., Premaratne, S., Soebarinoto, Chen, X.B., and Williams, B.A. (1994). Improving ruminant productivity on straw based diets: scope for genetic variability, ammonia treatment and supplementation. In: Post-conference proceedings of the International Conference on Increasing Livestock Production through Utilization of Local Resources. (editor Guo Tingshuang) pp. 111-124. Bureau of Animal Production and Health, Ministry of Agriculture, China, Beijing.
- [46] Newbold, C.J. Wallace, R.J., Chen, X.B. and McIntosh, F.M. (1995) Different strains of *Saccharomyces cerevisiae* differ in their effects on rumen bacterial numbers *in vitro* and in sheep. *Journal of Animal Science*. 73, 1811-1818.
- [47] Liu, S.M., Lobley, G.E., MacLeod, N.A., Kyle, D.J., Chen, X.B. and Ørskov, E.R. (1994). Effects of long-term protein excess or deficiency on whole-body protein turnover in sheep nourished by intragastric infusion of nutrients. *British Journal of Nutrition* 73, 829-839.
- [48] Mayes, R.W., Dove, H., Chen, X.B. and Guada, J.A. (1995). Advances in the use of faecal and urinary markers for measuring diet composition, herbage and nutrient utilisation in herbivores. In: *Recent Developments in the Nutrition of Herbivores* (ed. M. Journet, E.Grenet, M-H. Farce, M. Theriez and C.Demarquilly). INRA, Paris. pp 381-406
- [49] Oosting, S.J., Van Bruchem, J, and Chen, X.B. (1995). Intake, digestion and small-intestinal protein availability in sheep in relation to ammoniation of wheat-straw with or without protein supplementation. *British Journal of Nutrition* 74, 347-368.
- [50] Chen, X.B. Samaraweera, L., Kyle, D.J., Ørskov, E.R. and Abeygunawardene, H. (1996). Urinary excretion of purine derivatives and tissue xanthine oxidase activity in buffaloes, with special reference to differences between buffaloes and *Bos taurus* cattle. *British Journal of Nutrition* 75, 397-407.
- [51] Duric, M., Zhao, G.Y., Ørskov, E.R., and Chen, X.B. (1995). Indirect measurement of saliva secretion in sheep fed diets of different structures and the effect of such diets on ruminal fluid kinetics and fermentation pattern. *Experimental Physiology* 79, 823-830.
- [52] Chen, X.B., Susmel, P., Stefanon, B. and Ørskov, E.R. (1996). On the use of purine derivatives in spot urine, plasma and milk samples as indicators of microbial protein supply in sheep and cattle. Protein metabolism and Nutrition, In: *Protein metabolism and Nutrition*.

- EAAP publication no.81* (Nunes,A.F., Portugal, A.V., Costa, J.P. & Ribiero, J.R. eds). pp. 325-329. Estacao Zootechnica Nacional, Portugal.
- [53] Bakker, M.L., Chen, X.B., Kyle, D.J., Ørskov, E.R. and Bourke, D.A. (1996). Urinary and plasma purine derivatives in fed and fasted llamas (*Lama glama* and *L.guanacoe*). *Comparative Biochemistry and Physiology (B)*. 113, 367-374
- [54] Chen, X.B., Pagella, J.H., Bakker, M.L. and Parra, O. (1996). Determination of aromatic metabolites in ruminant urine by high performance liquid chromatography. *Journal of Chromatography (B)* 682, 201-208.
- [55] Chen, X.B. (1995). Estimation of microbial protein supply to ruminants based on urinary excretion of purine derivatives. In: *Tropical Animal Feeding - a manual for research workers.* (T.R. Preston ed.). FAO, Italy. pp. 227-230.
- [56] Chikunya, S., Newbold, C.J., Rode, L., Chen, X.B., and Wallace, R.J. (1996). Influence of dietary rumen-degradable protein on bacterial growth in the rumen of sheep receiving different energy sources. *Animal Feed Science and Technology*. 63, 337-340
- [57] Chen, X.B., Matuszewski, W. and Kowalczyk, J. (1996). Determination of allantoin in biological cosmetic and pharmaceutical samples. *Journal of AOAC International* 79, 628-635.
- [58] Pagella, J.H., Chen, X.B, MacLeod, N.A. ,and Ørskov, E.R. (1996) Urinary excretion of benzoic acid and hippuric acid in sheep given ruminal infusion of 3-phenylpropionic and cyclohexanecarboxylic acids. *Animal Science* 62, 670A.
- [59] Chen, X. B., Demiraj, J. L., Scislawski, P.W.D. and Aksnes, A. (1996) Effect of heat treatment of fishmeal on ruminal degradation, protein solubility and methionine sulphoxide content. *Animal Science* 62, 685A
- [60] Chen, X. B., Wang, J. Q., Shand, W.J. and Ørskov, E.R. (1996) Sodium hydroxide treatment of soybean meal and its effects on rumen fermentation, in vitro pepsin digestion and formic acid extractable protein content. *Animal Science* 62, 686A
- [61] Pagella, J.H., Chen, X.B, MacLeod, N.A., Ørskov, E.R. and Dewey, P.J.S. (1997) Excretion of benzoic acid derivatives in urine of sheep given intraruminal infusions of 3-phenylpropionic and cyclohexaecarboxylic acids. *British Journal of Nutrition* 77, 577-592.
- [62] Samaniego, M.A., Chen, X.B., Hovell, F.Deb. MacRae, J.C. and Mayes, R.W. (1997). Comparison of methods for the measurement of microbial protein supply in sheep. *Proceeding of the British Society of Animal Science* 1997, 125A.
- [63] Chen X.B., Fujihara, T., Nakamura, K., Mawuenyegah P. O., Franklin, M. and Kyle, D.J. (1997). Response of urinary and plasma purine derivatives to various rates and patterns of infusions of purines in sheep nourished by intragastric infusion. *Journal of Agricultural Science, Cambridge* 129, 343-352.
- [64] Chen, X.B. and Jayasuriya, M.C.N. (1997). Purine nitrogen index, a new parameter for rapid feed evaluation in ruminants. In: *Occasional publication of BSAS* (in press)
- [65] Newbold, C.J., McIntosh, F.M., Chen, X.B., Koenig, K.M. and Furtado, A.F. (1997). Effects of defaunation and subsequent refaunation on bacterial numbers in and microbial protein flow from the rumen of sheep. In: *Evolution of the rumen microbial ecosystem* Aberdeen: RRI-INRA. p. 68 (Abstract)

- [66] Pagella, J.H., Chen, X.B., Shand, W.J., Dewey, P.S. and Ørskov, E.R. (1997). Microbial metabolism of plant 4-hydroxycinnamic and hydroxyalicylic acids in vitro. In: *Evolution of the Rumen Microbial Ecosystem, Rumen Microbial Ecosystem Symposium*. Eds A.Chesson, C.S.Stewart & H.J.Flint Reproduction Nutrition Development pp 58-59.
- [67] Pagella, J.H., Chen, X.B., Stritzler, N.P. and Ørskov, E.R. (1997). Uso potencial de ácido benzoico urinario como marcador interno para predecir consumo de forraje por rumiantes en pastoreo. *Revista Argentina de Producción Animal 17 (SUP 1)*, 20.
- [68] Liu, S.M., MacLeod, N.A., Luo, Q.,J., Chen, X.B., Kyle, D.J., Nicol, P., Harrbron, C.G. and Ørskov, E.R. (1997). The effects of acute and chronic protein depletion and accretion on plasma concentrations of insulin-like factor –1, fibronectin and total protein for ruminants nourished by intragastric infusion of nutrients. *British Journal of Nutrition 78*, 411-426.
- [69] Chen, X.B., Calder, A. G. Prasitkusol, P. Kyle, D.J. and Jayasuriya, M.C.N. (1997) Determination of <sup>15</sup>N Isotopic Enrichment and Concentrations of Allantoin and Uric Acid in Urine by Gas Chromatography/Mass Spectrometry. *Journal of Mass Spectrometry 33*, 130-137
- [70] Long, R. J. Chen, X. B. Dong, S. K. Zhang, D. G. Ørskov E. R. and Hu, Z.Z. (1998). Urinary excretion of PD in fed and fasted yaks (*Bos gruniens*). *Proceeding of the British Society of Animal Science*
- [71] Sujatha Premaratne. Bruchem, J. van. Chen, X. B. Perera, H. G. D. and Oosting, S. J. (1998). Effects of type and level of forage supplementation on voluntary intake, digestion, rumen microbial protein synthesis and growth in sheep fed a basal diet of rice straw and cassava. *Asian-Australasian Journal of Animal Sciences. 11*, 692-696.
- [72] Blummel, M. M Gomezulu, R. Chen, X. B. Makkar, H. P. S. Becker, K. and Orskov, E. R. (1999) The modification of an in vitro gas production test to detect roughage related differences in in vivo microbial protein synthesis as estimated by the excretion of purine derivatives. *Journal of Agricultural Science. 133*, 335-340.
- [73] Long, R.J., Dong, S.K., Chen, X.B., Ørskov, E.R., and Hu, Z.Z. (1999). Preliminary studies on urinary purine and creatinine derivatives excretion in yaks (*Bos gruniens*). *Journal of Agricultural Science 133*, 427-431.
- [74] Newbold, C.J. McIntosh, F.M., Chen, X.B. and Wallace, R.J. (1998). Effects of essential oils on rumen fermentation. *Proceeding of the British Society of Animal Science*
- [75] Prasitkusol, P., Chen, X.B., Kyle, D.J. and Ørskov, E.R. (1999). Measurement of the proportion of plasma purine derivatives excreted in the urine of sheep. In: *Nuclear based technologies for estimating microbial protein supply in ruminant livestock*. Proceedings of the second Research Co-ordination Meeting of a Co-ordinated Research Project (Phase 1) organised by the Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture and held in Vienna, 24-28 August 1998. pp 81-86.
- [76] Chen, X.B., Subba, D.B., Ørskov, E.R. and Jayasuriya, M.C.N. (1999). Purine Nitrogen Index, potentially a new parameter for rapid feed evaluation in ruminants. In: *Nuclear based technologies for estimating microbial protein supply in ruminant livestock*. Proceedings of the second Research Co-ordination Meeting of a Co-ordinated Research Project (Phase 1) organised by the Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture and held in Vienna, 24-28 August 1998. pp 97-110.
- [77] Liu, J.X., Ørskov, E.R. and Chen, X.B. (1999). Optimization of steam treatment as a method for upgrading rice straw as feeds. *Animal Feed Science and Technology, 76*, 345-357.

- [78] Chen, X.B. (1999). A system for the assessment of feed flavours. *Guangdong Feed*. (1), 17-20.
- [79] Chen, X.B. and Feng, D.Y. (1999). Factors affecting the efficacy of mould inhibitors and their performance in feed. *Guangdong Feed*. (2), 30-32.
- [80] Chen, X.B. (1999). The application of the principle of animal's food selection behaviour to the feed industry. *Animal Science and Technology Abroad*, (6), 12-14.
- [81] Tamminga, S. and Chen, X.B. (2000). Animal based techniques for the estimation of protein value of forages. In: *Forage Evaluation in Ruminant Nutrition* (D.I.Givens, E.Owen, R.F.E.Axford, H.M.Omed eds). CAB International, Wallingford. pp. 215-232.
- [82] Mo F., Xing Z., Chen X.B., Yang Y.F., and Li S.L., (2001). The effect of different feed intake on the urinary excretion of purine derivatives in Chinese yellow cattle. In: *Proceedings of the 2001 International conference and exhibition on beef production and research*, Chinese agriculture technology press, pp 295-298.
- [83] Xing Z., Xi W.B., Mo F., Liu J.W., Chen X.B., and Yang Y.F., (2001). Purine derivatives excretion of in urine of cattle fed a poor diet and supplementation. In: *Proceedings of the 2001 International conference and exhibition on beef production and research*, Chinese agriculture technology press, pp 291-294.
- [84] Prasitkusol, P., Ørskov, E. R., Chen, X. B., Hovell, F. D. DeB. and Kyle, D. J. (2002). Variation between sheep in renal excretion of [<sup>14</sup>C]allantoin. *British Journal of Nutrition*. 87, 561-568.
- [85] International Atomic Energy Agency (1997) Estimation of rumen microbial protein production from purine derivatives in urine, IAEA-TECDOC-945, IAEA, Vienna.
- [86] Xing Z., Xi, W, Mo, F., Liu J., Chen, X.B., and Yang Y. Measurements of purine derivatives and creatinine in spot urine of Chinese yellow cattle. In press
- [87] Chen, X. B., Jayasuriya M. C. N. and Makkar H.P.S (2003) Measurement and application of PD:creatinine ratio in spot urine samples of ruminants. In press
- [88] Chen X.B. and Ørskov E.R. (2003) Research on urinary excretion of purine derivatives in ruminants: past, present and future. In press